



Zoning Resolution

THE CITY OF NEW YORK

Eric Adams, Mayor

CITY PLANNING COMMISSION

Daniel R. Garodnick, Chair

43-44 - Alternate Front Setbacks

File generated by <https://zr.planning.nyc.gov> on 12/17/2025

43-44 - Alternate Front Setbacks

LAST AMENDED
6/6/2024

M1 M2 M3


In all districts, other than districts with an A suffix, if an open area is provided along the full length of the #front lot line# with the minimum depth set forth in the following table, the provisions of Section 43-43 (Maximum Height of Front Wall and Required Front Setbacks) shall not apply. The minimum depth of such open area shall be measured perpendicular to the #front lot line#. However, in such instances, except as otherwise provided in this Section or in Sections 43-42 (Permitted Obstructions) or 43-45 (Tower Regulations), no #building or other structure# shall penetrate the alternate #sky exposure plane# set forth in the table in this Section. The #sky exposure plane# shall be measured from a point above the #street line#.

In an M1-6 District, if the open area provided under the terms of this Section is a #public plaza#, such open area may be counted toward the bonus provided for a #public plaza#, pursuant to Section 43-14 (Floor Area Bonus for Public Plazas and Arcades).

In M1-1 Districts, for #community facility buildings# the height above the #street line# shall be 35 feet.

ALTERNATE REQUIRED FRONT SETBACKS

| Depth of Optional Front Open Area (in feet) | | Alternate #Sky Exposure Plane# | | | | |
|-------------------------------------------------|------------------|--------------------------------------|--------------------------------------------------------------------------------------------|---------------------|-------------------|---------------------|
| | | Height above #Street Line# (in feet) | Slope over #Zoning Lot# (expressed as a ratio of vertical distance to horizontal distance) | | | |
| | | | On #Narrow Street# | | On #Wide Street# | |
| | | | Vertical Distance | Horizontal Distance | Vertical Distance | Horizontal Distance |
| On #Narrow Street# | On #Wide Street# | | | | | |
| Within M1-1 Districts | | | | | | |
| 15 | 10 | 30 | 1.4 to | 1 | 1.4 to | 1 |
| Within M1-2, M1-4, M2-1, M2-3 or M3 Districts | | | | | | |
| 15 | 10 | 60 | 3.7 to | 1 | 7.6 to | 1 |
| Within M1-3, M1-5, M1-6, M2-2 or M2-4 Districts | | | | | | |
| 15 | 10 | 85 | 3.7 to | 1 | 7.6 to | 1 |



a - Horizontal distance

h - Height of *sky exposure plane*
above *street line*

s - Depth of the optional
front open area

v - Vertical distance

 *Sky Exposure Plane*

ALTERNATE SKY EXPOSURE PLANE

(23 - 64, 24 - 53, 33 - 442, 43 - 44)