



## **Zoning Resolution**

**THE CITY OF NEW YORK**  
**Zohran K. Mamdani, Mayor**

**CITY PLANNING COMMISSION**  
**Sideya Sherman, Chair**

# **33-441 - In C1 or C2 Districts with bulk governed by surrounding Residence District**

File generated by <https://zr.planning.nyc.gov> on 5/23/2026

---

## 33-441 - In C1 or C2 Districts with bulk governed by surrounding Residence District

---

LAST AMENDED

12/5/2024

C1-1 C1-2 C1-3 C1-4 C1-5 C2-1 C2-2 C2-3 C2-4 C2-5

In the districts indicated, the alternate front setback regulations applicable to a #building or other structure# shall be determined by the #Residence District# in which such #Commercial District# is mapped and, except as otherwise set forth in this Section, shall be as set forth in the following table:

### ALTERNATE REQUIRED FRONT SETBACKS

Depth of Optional Front Open Area (in feet)	Alternate #Sky Exposure Plane#					
	Height above #Street Line# (in feet)	Slope over #Zoning Lot# (expressed as a ratio of vertical distance to horizontal distance)				
		On #Narrow Street#		On #Wide Street#		
		Vertical Distance	Horizontal Distance	Vertical Distance	Horizontal Distance	
On #Narrow Street#	On #Wide Street#					

---

Within R1, R2, R3, R4, R5, R5A or R5B Districts

15            10            30            1.4            to 1            1.4            to 1

Within R6 or R7 Districts

15            10            60            3.7            to 1            7.6            to 1

Within R8, R9, R10, R11 or R12 Districts

15            10            85            3.7            to 1            7.6            to 1

However, in accordance with the provisions of Section [32-42](#) (Location within Buildings), no #commercial building#, or portion thereof, occupied by non-#residential uses# listed under Use Groups VI through X shall exceed in height 30 feet or two #stories#, whichever is less.

For #community facility buildings# or #buildings# used for both #community facility# #use# and #commercial# #use#, when mapped within R4, R5, R5A or R5B Districts, the height above #street line# shall be 35 feet.