



## **Zoning Resolution**

**THE CITY OF NEW YORK**  
**Zohran K. Mamdani, Mayor**

**CITY PLANNING COMMISSION**  
**Sideya Sherman, Chair**

# **36-62 - Required Accessory Off-street Loading Berths**

File generated by <https://zr.planning.nyc.gov> on 5/11/2026

---

## 36-62 - Required Accessory Off-street Loading Berths

---

LAST AMENDED

12/5/2024



C1 C2 C3 C4 C5 C6 C7 C8

In all districts, as indicated, #accessory# off-street loading berths, open or enclosed, shall be provided in conformity with the requirements set forth in the table in this Section and under rules and regulations promulgated by the Commissioner of Buildings, for all #developments# or #enlargements# after December 15, 1961, for the #uses# listed in the table, as a condition precedent to the #use# of such #development# or #enlargement#.

For the purposes of applying the requirements set forth in the table to #enlargements#, such provisions shall apply to the #floor area# of the #enlarged# portion of such #building# or, for open #uses#, to the #lot area# allocated to such #enlarged# #use#.

For the purposes of this Section, a tract of land on which a group of such #uses# is #developed# under single ownership or control shall be considered a single #zoning lot#.

Whenever any #use# specified in the table is located on an open lot, the requirements set forth in the table for #floor area# shall apply to the #lot area# used for such #use#.

For the purposes of applying the loading requirements of this Chapter, #uses# are grouped into the following Loading Requirement Categories (LRC).

**Loading Requirement Category      #Use# or Use Group**

---

LRC – A	All #uses# listed under Use Groups IX(A), IX(B) and X
LRC – B	All #uses# listed under Use Group VI, except automotive equipment rental and leasing, automotive repair and maintenance, or gasoline stations; all #uses# listed under Use Group VIII
LRC – C	All #uses# listed under Use Groups V and VII; court houses listed under Use Group IV(A)
LRC – D	Hospitals and related facilities listed under Use Group III(B); prisons listed under Use Group IV(A)
LRC – E	Funeral establishments listed under Use Group VI

**REQUIRED OFF-STREET LOADING BERTHS FOR DEVELOPMENTS OR ENLARGEMENTS**

Loading Requirement Category	Districts	
		C1 <sub>2</sub> C2 <sub>2</sub> C3
	C4-1 C4-2 C4-3	C4-4 C4-5 C4-6 C4-7 C4-8 C4-9 C4-11 C4-12 C5 C6
	C8-1 C8-2	C8-3 C8-4
	C7 outside the #Greater Transit Zone#	C7 within the #Greater Transit Zone#

<b>LRC-A</b>	<p>First 8,000 sq. ft.: None  Next 17,000 sq. ft.: 1  Next 15,000 sq. ft.: 1  Next 20,000 sq. ft.: 1  Next 20,000 sq. ft.: 1  Each additional 80,000 sq. ft.: 1</p>	<p>First 15,000 sq. ft.: None  Next 25,000 sq. ft.: 1  Next 40,000 sq. ft.: 1  Each additional 80,000 sq. ft.: 1</p>
<b>LRC-B</b>	<p>First 8,000 sq. ft.: None  Next 17,000 sq. ft.: 1  Next 15,000 sq. ft.: 1  Next 20,000 sq. ft.: 1  Next 40,000 sq. ft.: 1  Each additional 150,000 sq. ft.: 1</p>	<p>First 25,000 sq. ft.: None  Next 15,000 sq. ft.: 1  Next 60,000 sq. ft.: 1  Each additional 150,000 sq. ft.: 1</p>
<b>LRC-C</b>	<p>First 25,000 sq. ft.: None  Next 75,000 sq. ft.: 1  Next 200,000 sq. ft.: 1  Each additional 300,000 sq. ft.: 1</p>	<p>First 100,000 sq. ft.: None  Next 200,000 sq. ft.: 1  Each additional 300,000 sq. ft.: 1</p>
<b>LRC-D 1</b>	<p>First 10,000 sq. ft.: None  Next 290,000 sq. ft.: 1  Each additional 300,000 sq. ft.: 1</p>	
<b>LRC E</b>	<p>First 10,000 sq. ft.: None  Next 20,000 sq. ft.: 1  Any additional amount : 1</p>	

1 Requirements in this table are in addition to area utilized for ambulance parking.

2 Mapped within R1, R2, R3, R4, R5, R6.

3 Mapped within R7, R8, R9, R10, R11 R12.