



## **Zoning Resolution**

**THE CITY OF NEW YORK**  
**Zohran K. Mamdani, Mayor**

**CITY PLANNING COMMISSION**  
**Sideya Sherman, Chair**

# **117-36 - Northern Hunters Point Waterfront Access Plan**

File generated by <https://zr.planning.nyc.gov> on 4/10/2026

---

## 117-36 - Northern Hunters Point Waterfront Access Plan

---

LAST AMENDED

11/12/2025

The boundaries of the area comprising the Northern Hunters Point Waterfront Access Plan and the location of certain features mandated or permitted by the Plan are shown in Maps 3 through 5 through located in Appendix C to this Chapter. The plan area has been divided into parcels consisting of tax #blocks# and lots and other lands existing on November 12, 2025, as follows:

Parcel 1: Block 477, Lots 13, 15, 20

Parcel 2: Block 477, Lot 24

Parcel 3: Block 488, Lot 114

Parcel 4: Block 488, Lot 1, 2, 3

Parcel 5: Block 488, Lots 11, 15, 35

Block 489, Lots 1, 23, 46

Parcel 6: Beginning at the intersection of 44th Drive and 5th Street extending westerly to the U.S. Pierhead and Bulkhead line #abutting# Parcel 5 on the northern edge and Parcel 7 on the southern edge

Parcel 7: Block 25, Lot 15

Parcel 8: Block 25, Lots 1, 9, 10, 11

Block 26, Lot 10

Parcel 9: Block 26, Lots 1, 2, 3, 4

Parcel 10: Block 26, Lots 17 and 21

---

## 117-361 - Definitions

---

LAST AMENDED

11/12/2025

Definitions specifically applicable to the Northern Hunters Point Waterfront Access Plan are set forth in this Section. Other defined terms are set forth in Section [117-01](#) and Section [12-10](#). In addition, for the purposes of Section [117-36](#), inclusive, the definition of #development# shall be as set forth in Section [62-11](#) (Definitions).

### Active recreation space

For the purposes of this Chapter, “active recreation space” shall mean a designated area outdoors designed and equipped for recreational activities that involve physical movement, exercise, sports or play. These spaces accommodate a wide range of dynamic uses and may include, but are not limited to:

- (a) sports courts, such as tennis, basketball, volleyball, pickleball or ping pong courts;
- (b) athletic fields, such as baseball, football, soccer, cricket, rugby or lacrosse fields;
- (c) water-based recreation, such as splash parks, sprinkler parks or swimming pools;
- (d) water access and interaction space, such as boat and kayak launches or urban beaches;

- (e) adventure and skill-based activities, such as skate parks, climbing walls or obstacle courses;
- (f) social and leisure games, such as bocce, shuffleboard, mini golf or horseshoe pits;
- (g) fitness facilities, such as outdoor gyms or yoga areas, exercise circuits or jogging tracks;
- (h) play spaces, such as playgrounds, tot lots or adventure playgrounds; or
- (i) community and cultural spaces, such as open-air amphitheaters, performance stages or gathering lawns.

---

## 117-362 - Area-wide modifications

---

LAST AMENDED

11/12/2025

The provisions of Article VI, Chapter 2 (Special Regulations Applying in the Waterfront Area) shall be modified in the area comprising the Northern Hunters Point Waterfront Access Plan by the provisions of this Section.

- (a) All waterfront public access areas
  - (1) Gates

The provisions of paragraph (d) of Section [62-651](#) (Guardrails, gates and other

protective barriers) shall not apply.

(2) Fences and walls

The provisions of paragraph (c) of Section [62-651](#) shall apply, except that fences around the perimeter of areas designated as #active recreation space# may exceed 36 inches in height.

(3) Kiosks and boathouses

Section [62-611](#) (Permitted obstructions) shall be modified to permit the following in all areas:

- (i) kiosks and boathouses which comply with the special design guidelines of Section [117-364](#) (Special design standards); and
- (ii) storage areas and structures, which are #accessory# to water-dependent #uses# and have an area of 150 square feet or less.

(4) Permitted obstructions

The location requirements of paragraph (c) of Section [62-611](#) shall not apply to tot-lots and playgrounds.

(b) Shore public walkways

The circulation and access provisions of paragraph (a) of Section [62-62](#) (Design Requirements for Shore Public Walkways and Supplemental Public Access Areas) shall be modified as follows:

(1) Location of circulation paths

The required primary circulation path within a #shore public walkway# shall be provided within 10 feet of the #shoreline# for at least 15 percent of the length of such shoreline, and the remainder of the path may be located anywhere within the #shore public walkway# or #supplemental public access area#. Where secondary circulation paths are provided, such paths may count as a part of the required circulation path for satisfying the locational requirement of being within 10 feet of the #shoreline# for at least 20 percent of the length of such #shoreline# and may utilize the permitted paving materials pursuant to paragraphs (a)(1) and (a)(2) of Section 62-656.

(2) Level of circulation paths

At least 70 percent of a required primary circulation path shall be located at a level not less than six feet above the shoreline.

(3) Width of secondary circulation paths

Secondary paths, where provided, shall have a minimum clear width of at least 4 feet, 6 inches.

(4) Connection between circulation paths

Stairs and ramps shall be permitted to connect primary and secondary paths.

(c) #Supplemental public access areas#

(1) Configuration requirements

The area of a #supplemental public access area# may utilize width to depth ratios other than the minimum width to depth ratio requirements of paragraph (a)(1) of Section [62-571](#) (Location and area requirements for supplemental public access areas) for not more than 20 percent of such area.

(2) Lawns

The provisions of paragraph (c)(1) of Section [62-62](#) (Design Requirements for Shore Public Walkways and Supplemental Public Access Areas) shall be modified so that a lawn shall only be required where a #supplemental public access area# is greater than 15,000 square feet. In addition, a lawn may be substituted for an #active recreation space# of equivalent size.

(d) Screening

Wherever a screening buffer is required to be provided, the minimum width of such buffer shall be four feet.

In addition to the waiver allowances of paragraph (c)(2)(iii) of Section [62-62](#), no screening buffer shall be required along the upland boundary, or portion thereof, which is adjacent to an unenclosed seating area #accessory# to a #use# listed in Use Group VI. Where a screening buffer is waived, design features shall be utilized to demarcate the #shore public walkway# or #supplemental public access area# from the non-publicly accessible area, which may include, but shall not be limited to, railings, fences, planting boxes, and distinct paving materials.

The provisions of Sections [62-52](#) (Applicability of Waterfront Public Access Area Requirements) and [62-60](#) (DESIGN REQUIREMENTS FOR WATERFRONT PUBLIC ACCESS AREAS), inclusive, are modified at the designated locations along with #visual corridors# as shown on Map 4 (Public Access Elements Designation) and Map 5 (Visual Corridors Designation) of Appendix C to the Chapter:

(a) Parcel 1

An #upland connection# and #visual corridor# shall be located between Vernon Boulevard and the #shore public walkway# within the designated flexible location zone on Parcel 1. The #upland connection# shall intersect Vernon Boulevard at its intersection with Queens Plaza South.

(b) Parcel 2

No #upland connection# shall be required within Parcel 2. However, a direct connection shall be provided between the #shore public walkway# and the public access area at the prolongation of 43rd Avenue.

In addition, where a #development# not otherwise exempt from #waterfront public access area# requirements is comprised exclusively of new publicly accessible open areas provided along the #shoreline#, only the provisions applicable to a #shore public walkway# set forth in Sections [62-50](#) and [62-60](#), inclusive, as modified by Section [117-362](#), shall apply in conjunction with such #development#.

(c) Parcel 3

(1) #Upland connections# and #visual corridors#

#Upland connections# and #visual corridors# shall be provided through Parcel 3 between Vernon Boulevard and the #shore public walkway#:

- (i) at the prolongation of 43rd Road; and
- (ii) in the flexible zone that begins 200 feet south of the prolongation of 43rd Road and ends at the southern boundary of Parcel 3.

(2) #Supplemental public access area#

The #supplemental public access area# shall #abut# the #shore public walkway# continuously along its longest side, and shall also #abut# the southern boundary of required #upland connection# as described in paragraph (c)(1) of this Section where it meets the #shore public walkway#. The #upland connection# may cut across the #supplemental public access area#, provided that any resulting #supplemental public access area# shall measure at least 5,000 square feet.

As an alternative, a required #supplemental public access area# of at least 5,000 square feet may #abut# the entire length of the prolongation of 43rd Avenue provided that it also #abuts# both the #shore public walkway# and Vernon Boulevard.

In addition, where a #development# not otherwise exempt from #waterfront public access area# requirements is comprised exclusively of new publicly accessible open areas provided along the #shoreline#, only the provisions applicable to a #shore public walkways# set forth in Sections [62-50](#) and [62-60](#), inclusive, as modified by Section [117-362](#), shall apply in conjunction with such #development#.

(d) Parcel 4

A Type 1 #upland connection# pursuant to paragraph (a)(1) of Section [62-561](#) (Types of upland connections) and a #visual corridor# coincident with such #upland connection# shall be provided through Parcel 4 at the prolongation of 44th Avenue to the #shore public walkway#.

However, the provisions of Sections [62-50](#) and Section [62-60](#), inclusive, as modified by Section [117-36](#), inclusive, relating to required #waterfront public access areas# and #visual corridors#, shall be inapplicable if public access and #visual corridors# are provided pursuant to restrictive declaration, number D-138, executed by the RAK Tennis Corporation on July 29, 1991, and as such may be modified pursuant to the terms of the declaration and in accordance with Section [62-12](#) (Applicability to Developments in the Waterfront Area).

(e) Parcel 5

(1) #Supplemental public access area#

The requirements of Section [62-57](#) (Requirements for Supplemental Public Access Areas) shall not apply to #supplemental public access areas# on Parcel 5.

(2) #Shore public walkway#

The #shore public walkway# on Parcel 5 shall have a seaward edge that is contiguous with the seaward edge of the #waterfront yard# established pursuant to Section [62-332](#) (Rear yards and waterfront yards), and shall extend to the western boundary of 5th Street.

(f) Parcel 6

A Type 1 #upland connection# pursuant to paragraph (a)(1) of Section [62-561](#) and a #visual corridor# coincident with such #upland connection# shall be provided through Parcel 6 at prolongation of 44th Drive between 5th Street and the #shore public walkway#. However, the reduction provisions of paragraph (a)(1) of Section [62-561](#) shall not apply to #upland connections# in Parcel 6.

(g) Parcel 7

(1) #Upland connection#

A Type 1 #upland connection# pursuant to paragraph (a)(1) of Section [62-561](#) shall be provided through Parcel 7 and shall be located on the southerly prolongation of 5th Street.

(2) #Visual corridors#

#Visual corridors# shall be provided in the following locations:

- (i) coincident with the #upland connection# required pursuant to paragraph (g)(1) of this Section;
- (ii) within the flexible zone at the westerly prolongation of 45th Avenue to the #shore public walkway#; and
- (iii) along the boundary between Parcel 7 and Parcel 8 with a width of not less than 25 feet on each Parcel.

(3) #Supplemental public access area#

The #supplemental public access area# shall #abut# the #shore public walkway# continuously along its longest side and shall be located in the area designated on Map 4 (Public Access Elements Designation) and Map 5 (Visual Corridors Designation) of Appendix C to this Chapter.

(h) Parcel 8

(1) #Upland connection# and #visual corridor#

A Type 1 #upland connection# pursuant to paragraph (a)(1) of Section [62-561](#) shall be provided through Parcel 8 on the westerly prolongation of 45th Road, at the #abutting# boundary of Parcel 8 and Parcel 9. Such #upland connection# shall have a width of not less than 30 feet on each Parcel. Where portions of the #abutting# #upland connection# located outside of either Parcel will not be constructed concurrently, the applicant shall follow the provisions of paragraph (b) of Section [117-366](#) (Special review provisions).

A #visual corridor# coincident with such #upland connection# shall be provided.

(2) #Supplemental public access area#

The #supplemental public access area# shall #abut# the #shore public walkway#, the #upland connection# as described in paragraph (h)(1) of this Section, and Vernon Boulevard. However, the longest side of the #supplemental public access area# need not #abut# the #upland connection#.

(i) Parcel 9

(1) #Shore public walkway#

The underlying requirements for #shore public walkway# apply, except that the reduction provisions of paragraph (a)(3)(i) of Section [62-53](#) (Requirements for Shore Public Walkways) shall not apply.

(2) #Upland connection# and #visual corridor#

An #upland connection# and #visual corridor# shall be provided in accordance with paragraph (h)(1) of this Section.

(j) Parcel 10

A Type 1 #upland connection# pursuant to paragraph (a)(1) of Section [62-561](#) and a #visual corridor# coincident with such #upland connection# shall be provided through Parcel 10 within the flexible location zone located 150 feet east of 5th Street from 46th Avenue to the #shore public walkway#.

---

## 117-364 - Special design standards

---

LAST AMENDED  
11/12/2025

The design requirements of Section [62-60](#) (DESIGN REQUIREMENTS FOR WATERFRONT PUBLIC ACCESS AREAS), inclusive, are modified by the provisions of this Section.

(a) Special design standards for seating

(1) Seating depth

The minimum seating depth requirements of paragraph (b) of Section [62-652](#) shall be modified to 16 inches.

(2) Armrests

At least 50 percent of all required seating shall include armrests.

(3) Design feature seating

Along Anable Basin, planter ledges, seating walls, and seating steps may qualify towards required seating provided that they constitute no more than 40 percent of the required seating. Walls and planter ledges shall be flat and smooth with at least one inch radius rounded edges.

(b) Special design standards for lighting

Along Anable Basin, the lighting requirements of Section [62-653](#) (Lighting) shall be modified such that an average maintained level of illumination not less than 0.5 horizontal foot candle (lumens per foot) shall be provided throughout all walkable areas, and the average illumination to minimum foot candle uniformity ratio shall be no greater than 6:1 within any #waterfront public access area#.

(c) Special design standards for planting

Reduction in planting requirement

(1) #Shore public walkway# and #supplemental public access areas#

An area equal to at least 35 percent of the area of the #shore public walkway# and #supplemental public access area# shall be planted. Such planting area may be reduced to 30 percent if an amenity is provided in accordance with the following tables:

TABLE 1

Amenity	Reduction per feature (in square feet)
Historic interpretation elements	20
Public art pieces	100

TABLE 2

Amenity	Ratio of reduction to size of feature
#Active recreation space#	1.1
Dog runs	1.1
Comfort stations	1.1

Such planting requirements may be further reduced to 20 percent along Anable Basin.

(2) #Upland connection#

For Type 1 #upland connections#, at least 30 percent of the area of the #upland connection# may be planted in accordance with the provisions set forth in Section [62-655](#) (Planting and trees).

(d) Special design standards for paving

The maximum area for unit pavers and concrete slabs specified in paragraphs (b)(1) and (b)(3) of Section [62-656](#) shall not apply.

(e) Special design standards for kiosks and boathouses

The standards of this Section shall be applicable for sites providing greater than 20,000 square feet of #waterfront public access areas#.

(1) Maximum size

Kiosks permitted under this Section shall have an area no greater than 400 square feet. Boathouses permitted under this Section shall have an area no greater than 800 square feet.

(2) Location

A kiosk or boathouse may be located within a #shore public walkway#, provided that any portion of a kiosk or boathouse located within the area comprising an upper level of such #shore public walkway# shall be located below the walking surface of such upper level. Kiosks and boathouses shall not reduce compliance with other requirements, including planting or circulation, except as modified by the provisions of paragraph (c) of this Section.

(3) Minimum design requirements

A minimum of 25 percent of any wall facing a circulation path, as measured from the level of the adjoining circulation path to the roof of the kiosk or boathouse, shall be provided as transparent material.

Blank walls on kiosks and boathouses that exceed five feet in height and 10 feet in width shall be treated with one or more of the following visual mitigation elements:

- (i) additional transparency consisting of an additional 25 percent of the wall facing a circulation path, as measured from the level of the adjoining circulation path to the roof of the kiosk or boathouse;
- (ii) plantings in planting beds or planter boxes at least two feet in height, at least six feet in width and at least two feet in depth when measured perpendicular to the wall of the kiosk or boathouse;
- (iii) fixed benches with or without backs of at least six linear feet; or
- (iv) wall treatments in the form of permitted #signs#, graphic or sculptural art or decorative screening. Such wall treatments must be at least six feet in height and have a minimum width of six feet.

(f) Special design modifications for #upland connections#

The Chairperson of the City Planning Commission may modify the design requirements for #upland connections# where the Chairperson certifies to the Commissioner of the Department of Buildings that such a change is the minimum necessary to accommodate subsurface sewer infrastructure. Any application for such change shall include a site plan from a licensed architect or engineer that conveys the extent of the needs and required modifications, as well as a letter from the Department of Environmental Protection describing the needs for such modifications.

---

## 117-365 - Requirements for supplemental open spaces and amenities

---

LAST AMENDED

11/12/2025

For all #zoning lots# utilizing bonus #floor area# set forth in Section [117-322](#) (Floor area bonus for active recreation space), the supplemental open area provisions of paragraph (a) of this Section and the supplemental amenities of paragraph (b) of this Section shall be met.

(a) Supplemental open area

Any publicly accessible supplemental open area shall be consistent in size with the open area created pursuant to the provisions of Section [117-322](#), but in no event shall such open area have a size of less than 4,000 square feet. Such open area shall be in addition to any area allocated to a #waterfront public access area#, as applicable, and shall connect directly to either #waterfront public access areas# or adjoining #streets#. Supplemental open areas shall be subject to the design requirements for #supplemental public access areas# set forth in Section

62-60 (DESIGN REQUIREMENTS FOR WATERFRONT PUBLIC ACCESS AREAS), inclusive, as such provisions are modified by the provisions of Section 117-364 (Special design standards), inclusive. All amenities provided in supplemental open areas shall either match or shall be comparable with amenities in a #waterfront public access area# on the same #zoning lot# with regard to quality, materials, finishes and form. In addition, supplemental open areas shall be subject to the maintenance and operation requirements of Section 62-70, inclusive, and the review procedures of Section 62-80, inclusive.

(b) Supplemental amenities

Supplemental amenities, in the form of #active recreation space# or public restrooms, shall be provided in accordance with the following regulations with regards to the minimum points required for the size of supplemental open area. Such amenities may be provided either in the supplemental open area or in #waterfront public access areas# on the same #zoning lot#. No amenity included pursuant to this Section may count towards meeting a requirement of a #waterfront public access area#.

(1) Minimum points required

The minimum required amount of points on a #zoning lot# shall be equivalent to one point per every additional 2,000 square feet of supplemental open space, except that the maximum points of amenity for any #zoning lot# need not exceed ten. Fractions equal to or greater than one-half resulting from this calculation shall be considered to be one point.

(2) Calculating points for amenities

For every 1,000 square feet of #active recreation space# provided, one point shall be generated. However, where such #active recreation space# involves open and flexible

areas with no permanent infrastructure or equipment, one point shall be generated for every 2,000 square feet of amenity.

The area allocated to the #active recreation space# shall include those areas bounded by the physical equipment associated with such space, as applicable, as well as the additional space around the equipment for access, circulation and buffering. Where an amenity involves water access, the area may include areas associated with the amenity both upland of and seaward of the shoreline, as applicable and, where watercraft launches are provided, may include temporary storage facilities.

No more than two points shall be permitted for multiple courts, leisure games or other facilities allocated to the same type of active recreation. For example, no more than two points may be generated by ping pong courts; however, further points may be generated from other types of courts such as volleyball courts.

For every 200 square feet of public restroom, one point shall be generated and the maximum points permitted for public restrooms shall not exceed four.

(3) Additional requirements for large #zoning lots#

Where the size of a supplemental open area exceeds 5,000 square feet, a singular #active recreation space# equivalent to at least two points shall be provided. Where a supplemental open area exceeds 10,000 square feet, either a singular amenity equivalent to at least three points shall be provided, or two amenities each equivalent to at least two points shall be provided.

LAST AMENDED

11/12/2025

The Chairperson of the City Planning Commission shall, by certification pursuant to Section [62-811](#) (Waterfront public access and visual corridors), further certify the following provisions as applicable:

(a) #Waterfront public access area# phasing

Where more than one #building# is #developed# in phases, the mandatory public access area may be constructed in phases, provided that the Chairperson certifies the following criteria are met:

- (1) a plan has been submitted that provides for an amount of public access area proportionate to the amount of #floor area# being #developed# in each phase;
- (2) the square footage of public access area provided in any phase is in proportion to the total public access area requirement based on the area being developed. Any public access area provided in an earlier phase in excess of the amount required for such phase may be applied to a later phase;
- (3) the public access area being proposed in any phase shall not prevent the total amount of public access area required for such area from being achieved;
- (4) any phased portion of the required public access area shall comply with the minimum widths and other dimensions required for the public access areas;
- (5) any phased portion of the required public access area shall connect directly to either a #street# or an improved public access area; and
- (6) a proportionate amount of planting and seating shall be included within each phase.

(b) #Upland connection# phasing

Where an #upland connection# is designated on two or more parcels, and the portion of such #upland connection# located outside of the applicant's parcel has previously been certified as part of a #waterfront public access area#, the Chairperson shall certify that the proposed #upland connection# on the applicant's parcel is consistent with that of the prior certification, including with respect to the proposed amenities and design elements therein.