



## **Zoning Resolution**

**THE CITY OF NEW YORK**  
**Zohran K. Mamdani, Mayor**

**CITY PLANNING COMMISSION**  
**Daniel R. Garodnick, Chair**

# **97-43 - Special Height and Setback Regulations**

File generated by <https://zr.planning.nyc.gov> on 3/5/2026

---

## **97-43 - Special Height and Setback Regulations**

---

LAST AMENDED

12/19/2017

Within the #Special 125th Street District#, the underlying height and setback regulations shall be modified in accordance with the provisions of this Section, inclusive.

---

## **97-431 - Permitted obstructions**

---

LAST AMENDED

12/5/2024

The provisions of Section [33-42](#) (Permitted Obstructions) shall apply, except that dormers may penetrate a maximum base height in accordance with the provisions of paragraph (b) of Section [23-413](#) (Permitted obstructions in certain districts).

---

## **97-432 - Height and setback regulations in the Core Subdistrict and in areas outside of a subdistrict**

---

LAST AMENDED

12/5/2024

(a) Street wall location

In all #Commercial Districts# within the Core Subdistrict and areas outside of a subdistrict, along 125th Street, the #street wall# location provisions of paragraph (a) of Section [35-631](#) shall apply. Along all other #streets# the #street wall# location provisions of paragraph (b) of Section [35-631](#) shall apply.

(b) Maximum height of building and setback

(1) Basic regulations

Within the Core Subdistrict, the minimum and maximum base height of the #street wall# and the maximum height of a #building or other structure# shall be as set forth in the following table:

<b>MINIMUM BASE HEIGHT, MAXIMUM BASE HEIGHT AND MAXIMUM BUILDING HEIGHT</b>			
<b>District</b>	<b>#Street Wall# Height (in feet)</b>		<b>Maximum Height of #Building or Other Structure# inside Core Subdistrict (in feet)</b>
	<b>Minimum Base Height</b>	<b>Maximum Base Height inside Core Subdistrict</b>	
C4-7	60	85	199
C6-3	60	85	160

All portions of #buildings or other structures# that exceed a height of 85 feet in C4-7 and C6-3 Districts shall provide a setback in accordance with the provisions of Section 23-433.

(2) Special regulations for certain C4-7 Districts

- (i) For the area located within 50 feet of the 126th Street frontage and between 200 feet east of Adam Clayton Powell Boulevard and 150 feet west of Lenox Avenue/Malcolm X Boulevard, the height of any portion of a #building or other structure# shall be limited to 80 feet.
- (ii) For #zoning lots# bounded by 125th Street, Park Avenue and 124th Street, the maximum height of a #building or other structure# shall be 330 feet.
- (iii) For Lots 1 and 7501 on Block 1910, the requirements of City Environmental Quality Review (CEQR) Environmental Designation Number (E-102) have been modified, as set forth in the Technical Memorandum to the Final Environmental Impact Statement for CEQR Number 07DCP030M, dated July 18, 2008.

(3) Special regulations for C6-3 Districts

In C6-3 Districts, the maximum length of any #story# located above a height of 85 feet shall not exceed 150 feet. Such length shall be measured by inscribing within a rectangle the outermost walls at the level of each #story# entirely above a height of 85 feet. No side of such rectangle shall exceed a width of 150 feet.

(c) Maximum height of building and setback in areas outside of a subdistrict

Except as otherwise set forth in paragraph (b)(2) above, in areas outside of a subdistrict, the following minimum and maximum base height of the #street wall# and the maximum height of a #building or other structure# shall be applied:

- (1) in C4-7 Districts, the height and setback regulations applicable to an R10A District shall apply; and
- (2) in C6-3 Districts, the height and setback regulations applicable to an R9A District shall apply.

---

## 97-433 - Height and setback regulations in the Park Avenue Hub Subdistrict and in Subdistrict B

---

LAST AMENDED

12/18/2025

In C6-4 Districts within the Park Avenue Hub Subdistrict or in any #commercial district# within Subdistrict B, as shown on Map 1 in Appendix A of this Chapter, the following provisions shall apply.

- (a) #Street wall# location

The applicable provisions of Section [35-631](#) shall be modified as follows:

- (1) Along 125th Street

The #street wall# provisions of paragraph (a) of Section [35-631](#) shall apply. The minimum base height shall be 60 feet, or the height of the #building#, whichever is less, except that for #buildings# or portions thereof within 50 feet of Park Avenue, the minimum base height shall be 40 feet, or the height of the #building#, whichever is less.

The street wall location provisions of this paragraph shall be modified to allow a sidewalk widening pursuant to the provisions of paragraph (a)(2) of this Section; and

(2) Along Park Avenue and #narrow streets#

The #street wall# provisions of paragraph (b) of Section [35-631](#) shall apply, except that the minimum base height shall be 40 feet, or the height of the #building#, whichever is less.

In addition, for #zoning lots# with frontage along Park Avenue between 124th Street and 125th Street, any #development# or horizontal #enlargement# shall provide a sidewalk widening along the #street line# of Park Avenue. Such sidewalk widening shall have a depth of 10 feet, be improved to Department of Transportation standards for sidewalks, and be at the same level as the adjoining public sidewalk.

(b) Basic maximum #building# height and setback regulations

The maximum height of #buildings or other structures# shall be as set forth in the applicable provisions of Section [35-632](#), except that the minimum base height shall be as set forth in paragraph (a) of this Section, and the maximum base height for #buildings or other structures# along the #street line# of 125th Street and within 50 feet of such #street line# shall be 125 feet.

(c) Optional height and setback regulations

As an alternative to the provisions of paragraph (b) of this Section, the provisions of this paragraph (c) may be applied to #zoning lots# providing #qualifying affordable housing# or #qualifying senior housing#, or #zoning lots# where 50 percent or more of the #floor area# is allocated to non-#residential uses#.

(1) Setbacks

Above the applicable maximum base height established pursuant to paragraph (b) of this Section, any portion of a #building# or #buildings# on the #zoning lot# shall be considered a “tower.”

(2) #Lot coverage# requirements for towers

The maximum #lot coverage# of a tower shall be as set forth in Section [23-435](#) (Tower regulations).

(3) Maximum #building# height

No height limit shall apply to towers.

---

## 97-434 - Height and setback regulations in Subdistrict A

---

LAST AMENDED

12/5/2024

Within Subdistrict A, as shown on Map 1 in Appendix A of this Chapter, the underlying height and setback regulations shall apply, except that the #street wall# provisions of paragraph (a) of Section [35-631](#) (Street wall location) shall apply on #wide street# frontages in C4-7 Districts. The minimum and maximum base heights and the overall maximum #building# height provisions of Section [35-632](#),

inclusive, shall be modified in accordance with the following table:

<b>MINIMUM BASE HEIGHT, MAXIMUM BASE HEIGHT AND MAXIMUM BUILDING HEIGHT</b>			
<b>District</b>	<b>#Street Wall# Height (in feet)</b>		<b>Maximum Height of #Building or Other Structure# (in feet)</b>
	<b>Minimum Base Height</b>	<b>Maximum Base Height</b>	
C4-7	60	85	245

Above the maximum base height, a setback shall be provided in accordance with the provisions of Section 23-433.