



### **Zoning Resolution**

**THE CITY OF NEW YORK**  
**Zohran K. Mamdani, Mayor**

**CITY PLANNING COMMISSION**  
**Daniel R. Garodnick, Chair**

## **121-33 - Height and Setback Regulations**

File generated by <https://zr.planning.nyc.gov> on 2/25/2026

---

## **121-33 - Height and Setback Regulations**

---

LAST AMENDED

8/14/2025

All #zoning lots# shall follow the underlying height and setback regulations.

---

## **121-331 - Street wall regulations**

---

LAST AMENDED

8/14/2025

For all #buildings#, 100 percent of the width of #street walls# along a #street# frontage at the #ground floor level# shall be located within eight feet of the #street line#. For any #story# above the #ground floor level#, at least 70 percent of the width of #street walls# shall be located within eight feet of the #street line# and extend to at least a minimum base height of 60 feet, or the height of the #building#, whichever is less; or as modified by Section [121-332](#) (Base Height Regulations). Up to 30 percent of the #aggregate width of street walls# above the ground floor may be recessed beyond eight feet of the #street line#, provided that any such recesses deeper than 10 feet along a #wide street# or 15 feet along a #narrow street# are located within an #outer court#. In addition, the #street wall# location provision of this paragraph shall not apply along such #street line# occupied by a #public plaza# as set forth in Section [37-70](#) (PUBLIC PLAZAS), nor within 15 feet of a landmark #building or other structure#.

---

## **121-332 - Base height regulations**

---

LAST AMENDED

8/14/2025

Except for #zoning lots# located south of West 31st Street and east of Avenue of the Americas, the maximum base height of a #street wall# may vary between the applicable maximum set forth in the underlying regulations, inclusive, and the height of the #street wall# of adjacent #building# before setback, if such height is higher than the maximum base height.